

Manufacturers of Engineered Relocatable Structures

TOLL FREE: 1-800-528-9899 OR (403) 245-3371 www.sprung.com

- 2. STRUCTURE TO BE INSULATED WITH
- NFPA 701, CALIFORNIA STATE FIRE MARSHAL, ASTM E84, UBC 31-1, AND
- 5. THIS STRUCTURE IS DESIGNED TO SHED SNOW. THE PERIMETER OF THE STRUCTURE SHOULD BE KEPT CLEAR.
- OR AIR CONDITIONING SYSTEM FOR ANY TYPE OF BUILDING, IT IS IMPORTANT TO ENSURE THAT THIS SYSTEM INTAKES MORE AIR THAN IS BEING EXHAUSTED AT ANY GIVEN TIME. THIS PROCESS WILL RESULT IN A POSITIVE PRESSURE BEING MAINTAINED. CONVERSELY, IF NEGATIVE PRESSURE EXISTS WITHIN THE STRUCTURE, IT WILL BE DIFFICULT TO OPEN DOORS AND MOISTURE WILL BE DRAWN INTO THE STRUCTURE.
- APPLICABLE) TO BE FREE STANDING &

INTERIOR SHOWN FOR REFERENCE ONLY, FINAL LAYOUT DESIGNED &

REV.	DATE	DESCRIPTION
This	drawing is pr	otected by copyright in the United States of

This drawing is protected by copyright in the United States of America, Comodo and oil other countries of the world. II, and oil of the designs, technical data and engineering services represented by a road originated or rendered by SPSRIMG INSTANT STRUCTURES INC. on the exclusive property of SPSRIMG INSTANT STRUCTURES INC. are the exclusive property of SPSRIMG INSTANT STRUCTURES INC. And on the retire the used in manufacturing not disclosed nor reproduced in whole or in part except with the prior written content of SPSRIMG INSTANT INSTANT STRUCTURES INC. Any copyring of this drawing in whole or in part in a without part own written permission of SPSRIMG INSTANT INSTANT

21.3 m x 45.3 m BADMINTON COURTS

DRAWN	DATE
M.PERRY	09/20/2004
CHECKED	APP'D
SCALE	DRAWING #
AS NOTED	
CUST.APP'L	↑ P04398